

ASBESTOS ABATEMENT

ADDENDUM NUMBER ONE

October 9, 2019

AT

LAKE COUNTY

FOR

LAKE COUNTY
18 NORTH COUNTY STREET
WAUKEGAN, IL 60085

RAMBOLL US CORPORATION
333 W. WACKER DRIVE, SUITE 2700
CHICAGO, ILLINOIS 60606

- A. This Addendum forms a part of the Contract Documents and modifies the original Bidding Documents – Project Manual dated September 9, 2019. Acknowledge receipt of this addendum in the space provided on the Bid Form. Failure to do so may subject Bidder to disqualification.
- B. This Addendum consists of one (1) page of text.
- C. Bids shall include all items in Addendum Number One.
- D. Addendum Number One to the Contract Documents:

Clarifications:

Training Room

- 1. Contractor shall remove globe light fixtures from the ceiling of the Training Room, clean and save for Lake County.
- 2. Contractor shall protect the wall mounted IT cabinet with 4' wide x 3' deep with the appropriate height plywood enclosure to scrape the ceiling and supply (HEPA filtered air x 2) and exhaust air to maintain a reasonable operating temperature of 77 degrees.
- 3. All furniture, computer equipment and electrical lines on the floor will be removed prior to start of the abatement work by Lake County.

Print Shop

- 1. Contractor will not scrape ACM acoustical plaster from the west, east or south upper portions of the fascia wall in the Phase 4 & 5 work areas. The north fascia wall will be included in the Phase 1 and Phase 2 portions of the project.
- 2. Contractor shall include the removal of the yellow painted and blue painted ACM & non-ACM pipe insulation along south wall in the Phase 1 & 2 work areas. Removal shall be from the speaker on the east wall and from the green duct on the west wall.

END OF ADDENDUM NUMBER ONE